


Bregueti Plus Touch Control Package – Chromed Finish

Hex, Square and Circle Chrome Standard Steam Head



Chromed Bregueti Plus Touch Control



Our range of products are CSA Certified since 1974 and UL Listed since 1987



ISO9001 since 2005


Bregueti Plus Controller + Steam Head Package (in Chromed Finish)

Round Steam Head w/Escutcheon



or

Hex Steam Head w/Escutcheon



Bregueti Plus Touch Control




Bregueti Plus Touch Control (Black Glass Surface, Built-in Infrared temperature Sensor)

Thickness : 8 mm

Frame Material : Brass Coated

Features : Programmable time and temperature settings.

Cable : Comes with 25 ft standard-length connector cable. Option for 50 ft cable and extendable, use 4-core wires (22 to 18 AWG).

Power  : Touch to turns on / shut off the steamer.

Temperature : Can be set from 10°C(50°F)~85°C(185°F).

Time : As countdown timer works in 1-min decrements, can be set from 5~90 minutes.

Temperature & Time : displays the current temperature & steam time left in the steam room.

Celsius to Fahrenheit : Turn off the control, hold the  3 seconds to switch.

Lights (LEDs): 5 lights around the display, each indicating a status.

Default Setpoint: The control goes back to the following default settings if the power is being reset.

• **Temperature defaults:** 47°C(117°F).

Set range:(10~85°C) / (50~185°F).

• **Time default:** 30 minutes.

Set range: 5~90 minutes.

Our range of products are CSA Certified
since 1974 and UL Listed since 1987



ISO9001 since 2005


Bregueti Plus Controller + Steam Head Package (in Brushed Nickel Finish)

Round Steam Head w/Escutcheon



or

Hex Steam Head w/Escutcheon



Bregueti Plus Touch Control




Bregueti Plus Touch Control (Black Glass Surface, Built-in Infrared temperature Sensor)

Thickness : 8 mm

Frame Material : Brass Coated

Features : Programmable time and temperature settings.

Cable : Comes with 25 ft standard-length connector cable. Option for 50 ft cable and extendable, use 4-core wires (22 to 18 AWG).

Power  : Touch to turns on / shut off the steamer.

Temperature : Can be set from 10°C(50°F)~85°C(185°F).

Time : As countdown timer works in 1-min decrements, can be set from 5~90 minutes.

Temperature & Time : displays the current temperature & steam time left in the steam room.

Celsius to Fahrenheit : Turn off the control, hold the  3 seconds to switch.

Lights (LEDs): 5 lights around the display, each indicating a status.

Default Setpoint: The control goes back to the following default settings if the power is being reset.

• **Temperature defaults:** 47°C(117°F).

Set range:(10~85°C) / (50~185°F).

• **Time default:** 30 minutes.

Set range: 5~90 minutes.

Our range of products are CSA Certified
since 1974 and UL Listed since 1987



ISO9001 since 2005


Bregueti Plus Controller + Steam Head Package (in Nickel Finish)

Round Steam Head w/Escutcheon



or

Hex Steam Head w/Escutcheon



Bregueti Plus Touch Control




Bregueti Plus Touch Control (Black Glass Surface, Built-in Infrared temperature Sensor)

Thickness : 8 mm

Frame Material : Nickel Coated

Features : Programmable time and temperature settings.

Cable : Comes with 25 ft standard-length connector cable. Option for 50 ft cable and extendable, use 4-core wires (22 to 18 AWG).

Power  : Touch to turns on / shut off the steamer.

Temperature : Can be set from 10°C(50°F)~85°C(185°F).

Time : As countdown timer works in 1-min decrements, can be set from 5~90 minutes.

Temperature & Time : displays the current temperature & steam time left in the steam room.

Celsius to Fahrenheit : Turn off the control, hold the  3 seconds to switch.

Lights (LEDs): 5 lights around the display, each indicating a status.

Default Setpoint: The control goes back to the following default settings if the power is being reset.

- **Temperature defaults**: 47°C(117°F).
- **Time default**: 30 minutes.

Set range:(10~85°C) / (50~185°F).

Set range: 5~90 minutes.

Our range of products are CSA Certified
since 1974 and UL Listed since 1987



ISO9001 since 2005


Bregueti Plus Controller + Steam Head Package

Round Chromed Steam head



or

Square Chromed Steam head



or

Hex Chromed Steam head



Bregueti Plus Touch Control w/Chrome Trim




Bregueti Plus Touch Control (Black Glass Surface, Built-in Infrared temperature Sensor)

Thickness : 8 mm

Frame Material : Brass Coated

Features : Programmable time and temperature settings.

Cable : Comes with 25 ft standard-length connector cable. Option for 50 ft cable and extendable, use 4-core wires (22 to 18 AWG).

Power  : Touch to turns on / shut off the steamer.

Temperature : Can be set from 10°C(50°F)~85°C(185°F).

Time : As countdown timer works in 1-min decrements, can be set from 5~90 minutes.

Temperature & Time : displays the current temperature & steam time left in the steam room.

Celsius to Fahrenheit : Turn off the control, hold the  3 seconds to switch.

Lights (LEDs): 5 lights around the display, each indicating a status.

Default Setpoint: The control goes back to the following default settings if the power is being reset.

- **Temperature defaults**: 47°C(117°F).
- **Time default**: 30 minutes.

Set range:(10~85°C) / (50~185°F).
Set range: 5~90 minutes.

Our range of products are CSA Certified
since 1974 and UL Listed since 1987



ISO9001 since 2005

Bregueti Plus Controller + Steam Head Package


Round Oil Rubbed Bronze Steam Head

or

Square Oil Rubbed Bronze Steam Head

or

Hex Oil Rubbed Bronze Steam Head



Bregueti Plus Touch Control w/
Oil Rubbed Bronze Trim (Built in Sensor)




Bregueti Plus Touch Control (Black Glass Surface, Built-in Infrared temperature Sensor)

Thickness : 8 mm

Frame Material : Brass Coated

Features : Programmable time and temperature settings.

Cable : Comes with 25 ft standard-length connector cable. Option for 50 ft cable and extendable, use 4-core wires (22 to 18 AWG).

Power  : Touch to turns on / shut off the steamer.

Temperature : Can be set from 10°C(50°F)~85°C(185°F).

Time : As countdown timer works in 1-min decrements, can be set from 5~90 minutes.

Temperature & Time : displays the current temperature & steam time left in the steam room.

Celsius to Fahrenheit : Turn off the control, hold the  3 seconds to switch.

Lights (LEDs): 5 lights around the display, each indicating a status.

Default Setpoint: The control goes back to the following default settings if the power is being reset.

- **Temperature defaults**: 47°C(117°F).
- **Time default**: 30 minutes.

Set range:(10~85°C) / (50~185°F).

Set range: 5~90 minutes.

Our range of products are CSA Certified
since 1974 and UL Listed since 1987



ISO9001 since 2005

Bregueti Plus Controller + Steam Head Package

Round Oil Rubbed Bronze Steam Head
Back Cover (Escutcheon)



Square Oil Rubbed Bronze Steam Head



Hex Oil Rubbed Bronze Steam Head



Bregueti Plus Touch Control w/
Oil Rubbed Bronze Trim (Built in Sensor)




Bregueti Plus Touch Control (Black Glass Surface, Built-in Infrared temperature Sensor)

Thickness : 8 mm

Frame Material : Brass Coated

Features : Programmable time and temperature settings.

Cable : Comes with 25 ft standard-length connector cable. Option for 50 ft cable and extendable, use 4-core wires (22 to 18 AWG).

Power  : Touch to turns on / shut off the steamer.

Temperature : Can be set from 10°C(50°F)~85°C(185°F).

Time : As countdown timer works in 1-min decrements, can be set from 5~90 minutes.

Temperature & Time : displays the current temperature & steam time left in the steam room.

Celsius to Fahrenheit : Turn off the control, hold the  3 seconds to switch.

Lights (LEDs): 5 lights around the display, each indicating a status.

Default Setpoint: The control goes back to the following default settings if the power is being reset.

- **Temperature defaults:** 47°C(117°F).
- **Time default:** 30 minutes.

Set range:(10~85°C) / (50~185°F).

Set range: 5~90 minutes.

Our range of products are CSA Certified
since 1974 and UL Listed since 1987



ISO9001 since 2005

Bregueti Plus Controller + Steam Head Package (in Brushed Nickel Finish)

Round Steam Head w/Back Plate



or

Square Steam Head w/Back Plate



or

Hex Steam Head w/Back Plate



Bregueti Plus Touch Control




Bregueti Plus Touch Control (Black Glass Surface, Built-in Infrared temperature Sensor)

Thickness : 8 mm

Frame Material : Brass Coated

Features : Programmable time and temperature settings.

Cable : Comes with 25 ft standard-length connector cable. Option for 50 ft cable and extendable, use 4-core wires (22 to 18 AWG).

Power  : Touch to turns on / shut off the steamer.

Temperature : Can be set from 10°C(50°F)~85°C(185°F).

Time : As countdown timer works in 1-min decrements, can be set from 5~90 minutes.

Temperature & Time : displays the current temperature & steam time left in the steam room.

Celsius to Fahrenheit : Turn off the control, hold the  3 seconds to switch.

Lights (LEDs): 5 lights around the display, each indicating a status.

Default Setpoint: The control goes back to the following default settings if the power is being reset.

- **Temperature defaults**: 47°C(117°F).
- **Time default**: 30 minutes.

Set range:(10~85°C) / (50~185°F).
Set range: 5~90 minutes.

Our range of products are CSA Certified since 1974 and UL Listed since 1987



ISO9001 since 2005

Bregueti Plus Controller + Steam Head Package

Hex Golden Plated Steam head



Bregueti Plus Touch Control with golden plated Trim




Bregueti Plus Touch Control (Black Glass Surface, Built-in Infrared temperature Sensor)

Thickness : 8 mm

Frame Material : Brass Coated

Features : Programmable time and temperature settings.

Cable : Comes with 25 ft standard-length connector cable. Option for 50 ft cable and extendable, use 4-core wires (22 to 18 AWG).

Power  : Touch to turns on / shut off the steamer.

Temperature : Can be set from 10°C(50°F)~85°C(185°F).

Time : As countdown timer works in 1-min decrements, can be set from 5~90 minutes.

Temperature & Time : displays the current temperature & steam time left in the steam room.

Celsius to Fahrenheit : Turn off the control, hold the  3 seconds to switch.

Lights (LEDs): 5 lights around the display, each indicating a status:

Default Setpoint: The control goes back to the following default settings if the power is being reset.

- **Temperature defaults**: 47°C(117°F).
- **Time default**: 30 minutes.

Set range:(10~85°C) / (50~185°F).
Set range: 5~90 minutes.

Our range of products are CSA Certified
since 1974 and UL Listed since 1987



ISO9001 since 2005

LED Touch Control with Romote + Chromed Steam Head

Entertainment Digital Control

The innovative digital control provides the ultimate steam bathing experience.

- To enjoy the FM/CD music.
- To control the RGB LED light (Bluetooth).
- To operate the ventilation fan.

Also comes with a safety alarm.

Dimensions: 6" x 9" x 3"

Functions:

1. Time Control: 10 to 60 min, 5 min/measurement.
2. Temperature control: 25-60°C (78-141°F).
Temperature display: Celsius or Fahrenheit
3. Music: FM channel or other audio input.
4. Light: Turn the steam room light on with control pad ON.
5. Fan: Turn the Fan ON/OFF.
6. Alarm: If you push the emergency Alarm ON, it will shut off the steam unit right away.
7. ON/OFF: Turn the unit ON/OFF at any desired time.



Our range of products are CSA Certified
since 1974 and UL Listed since 1987



ISO9001 since 2005

Bregueti Controllers

White/Black Bregueti Touch Control



Black Bregueti Touch Control



Bregueti Touch Control (White/Black Glass Surface)

The elegant and innovatively designed touch pad (at the total thickness of under 8 mm) is the world's slimmest control available, offered with programmable time and temperature settings.

The controller is provided with a 25 ft standard-length connector cable. If you need to extend up to 50 ft, use 4-core wires (22 to 18 AWG).

Power Sign: Touch to turns on / shut off the steam. As long as the control is in standby mode, the power light stays on.

Temperature control: Controls the temperature set point in the steam room, which can set from 10°C(50°F)~85°C(185°F).

Time control: Controls the duration of steam operation, which can be set from 5~90 minutes in 1-minute increments. The unit will work until it times out.

Temperature/Time display: When the control is turned on, it displays the current temperature in the steam room.

Celsius to Fahrenheit: To switch the display reading between Celsius and Fahrenheit, turn off the control and press the temperature sign for 3 seconds.

Lights (LEDs): There are 6 lights around the display, each indicating a status:

Default Setpoint: The control goes back to the following default settings if the power is being reset:

- **Temperature defaults:** 47°C(117°F). **Set range:**(10~85°C)/(50~185°F).
- **Time default:** 30 minutes. **Set range:** 5~90 minutes.

Our range of products are CSA Certified since 1974 and UL Listed since 1987



ISO9001 since 2005

Bregueti Controllers + Steam Head Package

White/Black Bregueti Touch Control



Bregueti Touch Control (White/Black Glass Surface)

The elegant and innovatively designed touch pad (at the total thickness of under 8 mm) is the world's slimmest control available, offered with programmable time and temperature settings.

The controller is provided with a 25 ft standard-length connector cable. If you need to extend up to 50 ft, use 4-core wires (22 to 18 AWG).

Power Sign: Touch to turns on / shut off the steam. As long as the control is in standby mode, the power light stays on.

Temperature control: Controls the temperature set point in the steam room, which can set from 10°C(50°F)~85°C(185°F).

Time control: Controls the duration of steam operation, which can be set from 5~90 minutes in 1-minute increments. The unit will work until it times out.

Temperature/Time display: When the control is turned on, it displays the current temperature in the steam room.


Celsius to Fahrenheit: To switch the display reading between Celsius and Fahrenheit, turn off the control and press the temperature sign for 3 seconds.

Lights (LEDs): There are 6 lights around the display, each indicating a status:

Default Setpoint: The control goes back to the following default settings if the power is being reset:

- **Temperature defaults:** 47°C(117°F). **Set range:**(10~85°C)/(50~185°F).
- **Time default:** 30 minutes. **Set range:** 5~90 minutes.

Hex, Square and Circle Chrome Standard Steam Head



Chrome Standard Steam Head

Our range of products are CSA Certified since 1974 and UL Listed since 1987



ISO9001 since 2005

Additional 30-min Controllers

ET5




ET4



ET3



Mechanical Timer




Wifi Control for Speaker




Serena Manual Control (Timer & Thermostat)



Serena Plus Control (programable Timer & Thermostat)



Digital Serena Control



Our range of products are CSA Certified since 1974 and UL Listed since 1987




ISO9001 since 2005

Steam Heads

Hex, Square and Circle Oil Rubber Bronze Steam Head



Hex, Square and Circle Chrome Steam Head



Hex, Square and Circle Brush Nickel Steam Head



Gem Stone Steam Head



Hex Gold Steam head



Hex, Square and Circle Chrome Standard Steam Head



Our range of products are CSA Certified since 1974 and UL Listed since 1987



ISO9001 since 2005

Accessories

i-Aroma Scent Dispenser



Aromatizer Scent Dispenser




Aromagen Scent Dispenser
Model: ADS201



Concentrated Fragrance Oil
(Price : 1gall \$330/1Ltr \$108/500ml \$60)

- Eucalyptus
- Tropical Forest
- Lavender
- Aphrodisia
- Green Tea
- Wintergreen



Fragrances (6 in Box)

- Eucalyptus
- Tropical Fo
- Lavender
- Aphrodisia
- Green Tea
- Wintergree



Steam Head Cover (Transparent)



Our range of products are CSA Certified since 1974 and UL Listed since 1987



ISO9001 since 2005

Accessories

WaterGuard Softener
Model 400



EcoWater Softener-Wifi enabled



Drip Pan



RS/CS size: 26" x 11" x 1-1/2"
RV size: 18" x 9" x 1-1/4"

Carbon Filter



Field Installation Plumbing Kit



Water Scale Inhibitor



Inline Water Filter



Our range of products are CSA Certified since 1974 and UL Listed since 1987



ISO9001 since 2005

Accessories

Bluetooth RGB LED lights (\$75.00)



Bluetooth RGB LED Light housing & glass trim



Waterproof Speakers (pair) with Bluetooth



Steam Room Table Support



Size : 266" x 16" x 24.5"

Surface mount round LED lights, 20W, 265mm, AC100-240V, 50/60Hz, 4000K



Name:	Round LED Panel light
Power:	20W-Surface
Size:	Φ 265mm
Input Voltage:	AC100-240V 50/60Hz
CCT:	4000K
Lumen:	1800lm-2000lm
IP Level:	IP65
Number:	20210113001

Thermometer/ Hygrometer



Our range of products are CSA Certified since 1974 and UL Listed since 1987



ISO9001 since 2005